

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	("EAP".clm. "extensible authentication protocol".clm.) AND ("TCP".clm. "transmission control protocol".clm.) AND (establish\$4.clm. NEAR phase\$1.clm.) AND authenticat\$3.clm. AND ("713".clas. "726".clas. "380".clas. "719".clas. "709".clas.)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/23 15:37
L2	0	extensible.clm. AND authentication.clm. AND protocol.clm. AND transmission.clm. AND control.clm. AND establishment.clm. AND phase.clm. AND authentication.clm. AND ("713".clas. "726".clas. "380".clas. "719".clas. "709".clas.)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/23 15:38
L3	0	extensible.clm. AND protocol.clm. AND transmission.clm. AND control.clm. AND establishment.clm. AND phase.clm. AND authentication.clm. AND ("713".clas. "726".clas. "380".clas. "719".clas. "709".clas.)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/23 15:38
L4	0	extensible.clm. AND protocol.clm. AND transmission.clm. AND control.clm. AND establishment.clm. AND phase.clm. AND ("713".clas. "726".clas. "380".clas. "719".clas. "709".clas.)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/23 15:38
L5	1	extensible.clm. AND protocol.clm. AND establishment.clm. AND phase.clm. AND ("713".clas. "726".clas. "380".clas. "719".clas. "709".clas.)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/23 15:38
S1	255	726/15.ccls. AND (@pd<"20031210" or @ad<"20031210" or @prad<"20031210" or @rlad<"20031210")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/19 18:12
S2	3	authentication AND (extensible authentication protocol OR "EAP") AND server AND client AND (process OR processes) AND ("TCP" OR transmission control protocol) AND 726/15.ccls. AND (@pd<"20031210" or @ad<"20031210" or @prad<"20031210" or @rlad<"20031210")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/20 08:15

EAST Search History (Prior Art)

S3	3	packet AND authentication AND (extensible authentication protocol OR "EAP") AND server AND client AND (process OR processes) AND ("TCP" OR transmission control protocol) AND 726/15.ccls. AND (@pd<"20031210" or @ad<"20031210" or @prad<"20031210" or @rlad<"20031210")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/20 08:22
S4	3	packet AND (extensible authentication protocol OR "EAP") AND server AND client AND (process OR processes) AND 726/15.ccls. AND (@pd<"20031210" or @ad<"20031210" or @prad<"20031210" or @rlad<"20031210")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/20 08:22
S5	5	packet AND (extensible authentication protocol OR "EAP") AND server AND client AND 726/15.ccls. AND (@pd<"20031210" or @ad<"20031210" or @prad<"20031210" or @rlad<"20031210")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/20 08:27
S6	54	packet AND (extensible authentication protocol OR "EAP") AND server AND client AND "726".clas. AND (@pd<"20031210" or @ad<"20031210" or @prad<"20031210" or @rlad<"20031210")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/20 08:27
S7	23	packet AND authentication AND (extensible authentication protocol OR "EAP") AND server AND client AND (process OR processes) AND ("TCP" OR transmission control protocol) AND "726".clas. AND (@pd<"20031210" or @ad<"20031210" or @prad<"20031210" or @rlad<"20031210")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/20 08:44
S8	61	packet AND authentication AND (extensible authentication protocol OR "EAP") AND server AND client AND (process OR processes) AND ("TCP" OR transmission control protocol) AND ("726".clas. OR "713".clas. OR "380".clas.) AND (@pd<"20031210" or @ad<"20031210" or @prad<"20031210" or @rlad<"20031210")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/20 08:44
S9	57	field AND packet AND authentication AND (extensible authentication protocol OR "EAP") AND server AND client AND (process OR processes) AND ("TCP" OR transmission control protocol) AND ("726".clas. OR "713".clas. OR "380".clas.) AND (@pd<"20031210" or @ad<"20031210" or @prad<"20031210" or @rlad<"20031210")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/20 08:44

EAST Search History (Prior Art)

S10	57	data AND field AND packet AND authentication AND (extensible authentication protocol OR "EAP") AND server AND client AND (process OR processes) AND ("TCP" OR transmission control protocol) AND ("726".clas. OR "713".clas. OR "380".clas.) AND (@pd<"20031210" or @ad<"20031210" or @prad<"20031210" or @rlad<"20031210")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/20 08:45
S11	2694	(713/168.ccls. 726/2,15.ccls. 380/59,270) AND (@pd<"20031210" or @ad<"20031210" or @prad<"20031210" or @rlad<"20031210")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/13 11:18
S12	1462	connection AND authentication AND (713/168.ccls. 726/2,15.ccls. 380/59,270) AND (@pd<"20031210" or @ad<"20031210" or @prad<"20031210" or @rlad<"20031210")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/13 11:18
S13	168	establishment AND initial AND connection AND authentication AND (713/168.ccls. 726/2,15.ccls. 380/59,270) AND (@pd<"20031210" or @ad<"20031210" or @prad<"20031210" or @rlad<"20031210")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/13 11:19
S14	13	("EAP" extensible authentication protocol) AND establishment AND initial AND connection AND authentication AND (713/168.ccls. 726/2,15.ccls. 380/59,270) AND (@pd<"20031210" or @ad<"20031210" or @prad<"20031210" or @rlad<"20031210")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/13 11:21
S15	0	Naftali.inv. AND 726/15.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/13 11:33
S16	1	Naftali.inv. AND (713/168.ccls. 726/2,15.ccls. 380/59,270)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/13 11:33
S17	1	Naftali.inv. AND ("726".clas.)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/13 11:34

EAST Search History (Prior Art)

S18	2	Naftali.inv. AND ("713".clas.)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/13 11:34
S19	0	Naftali.inv. AND ("380".clas.)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/13 11:34
S20	2	Naftali.inv. AND ("705".clas.)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/13 11:34
S21	0	Naftali.in. AND 726/15.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/01 14:29
S24	1	Naftali.in. AND ("726".clas.)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/01 14:29
S25	2	Naftali.in. AND ("713".clas.)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/01 14:30
S26	0	Naftali.in. AND ("380".clas.)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/01 14:30
S27	2	Naftali.in. AND ("705".clas.)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/01 14:30

EAST Search History (Prior Art)

S32	1	Naftali.in. AND (713/168.ccls. 726/2,15.ccls. 380/59,270.ccls.)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/01 15:36
S33	6	authentikat\$3 NEAR ("TCP" transmission control protocol)) AND (establish\$4 initial\$5) AND connection AND (713/162, 163,168.ccls. 726/2,15.ccls. 380/59,247, 270,273.ccls.) AND (@pd<"20040409" or (@ad<"20040409" or @prad<"20040409" or @rlad<"20040409"))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/01 15:37
S34	6	authentikat\$3 NEAR ("TCP" transmission control protocol)) AND (establish\$4 initial\$5) AND connection AND (713/168.ccls. 726/2,15.ccls. 380/59,270.ccls.) AND (@pd<"20040409" or (@ad<"20040409" or @prad<"20040409" or @rlad<"20040409"))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/01 15:37
S35	31	("EAP" extensible authentication protocol) AND establish\$4 AND initial AND connection AND authentikat\$3 AND (713/168.ccls. 726/2,15.ccls. 380/59,270.ccls.) AND (@pd<"20040409" or @ad<"20040409" or @prad<"20040409" or @rlad<"20040409"))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/01 15:37
S36	16	("EAP" extensible authentication protocol) AND establishment AND initial AND connection AND authentication AND (713/168.ccls. 726/2,15.ccls. 380/59, 270.ccls.) AND (@pd<"20040409" or @ad<"20040409" or @prad<"20040409" or @rlad<"20040409"))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/01 15:37
S37	6	authentikat\$3 NEAR ("TCP" transmission control protocol)) AND (establish\$4 initial\$5) AND connection AND (713/162, 163,168.ccls. 726/2,15.ccls. 380/59,247, 270,273.ccls.) AND (@pd<"20040409" or (@ad<"20040409" or @prad<"20040409" or @rlad<"20040409"))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/01 15:37
S38	17	authentikat\$3 NEAR ("TCP" transmission control protocol)) AND (establish\$4 initial\$5) AND connection AND (713/162, 163,168.ccls. "726".clas. 380/59,247, 270,273.ccls.) AND (@pd<"20040409" or (@ad<"20040409" or @prad<"20040409" or @rlad<"20040409"))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/01 15:37

EAST Search History (Prior Art)

S39	19	authenticat\$3 NEAR ("TCP" transmission control protocol)) AND (establish\$4 initial\$5) AND connection AND (713/162, 163,168.ccls. "726".clas. "380".clas.) AND (@pd<"20040409" or (@ad<"20040409" or @prad<"20040409" or @rlad<"20040409"))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/01 15:38
S40	26	authenticat\$3 NEAR ("TCP" transmission control protocol)) AND (establish\$4 initial\$5) AND connection AND ("713".clas. "726".clas. "380".clas.) AND (@pd<"20040409" or (@ad<"20040409" or @prad<"20040409" or @rlad<"20040409"))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/01 15:38
S41	523	authenticat\$3 AND link establish\$3 AND (establish\$4 initial\$5) AND connection AND ("713".clas. "726".clas. "380".clas.) AND (@pd<"20040409" @ad<"20040409" @prad<"20040409" @rlad<"20040409"))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/30 15:12
S42	6	authenticat\$3 NEAR ("TCP" transmission control protocol) AND (establish\$4 initial\$5) AND connection AND (713/162, 163,168.ccls. 726/2,15.ccls. 380/59,247, 270,273.ccls.) AND (@pd<"20040409" or @ad<"20040409" or @prad<"20040409" or @rlad<"20040409"))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/30 15:13
S43	17	authenticat\$3 NEAR ("TCP" transmission control protocol) AND (establish\$4 initial\$5) AND connection AND (713/162, 163,168.ccls. "726".clas. 380/59,247, 270,273.ccls.) AND (@pd<"20040409" or @ad<"20040409" or @prad<"20040409" or @rlad<"20040409"))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/30 15:13
S44	19	authenticat\$3 NEAR ("TCP" transmission control protocol) AND (establish\$4 initial\$5) AND connection AND (713/162, 163,168.ccls. "726".clas. "380".clas.) AND (@pd<"20040409" or @ad<"20040409" or @prad<"20040409" or @rlad<"20040409"))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/30 15:13
S45	27	authenticat\$3 NEAR ("TCP" transmission control protocol) AND (establish\$4 initial\$5) AND connection AND ("713".clas. "726".clas. "380".clas.) AND (@pd<"20040409" or @ad<"20040409" or @prad<"20040409" or @rlad<"20040409"))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/30 15:13
S46	0	authenticat\$3 phase AND link establish\$3 phase AND (establish\$4 initial\$5) AND connection AND ("713".clas. "726".clas. "380".clas.) AND (@pd<"20040409" @ad<"20040409" @prad<"20040409" @rlad<"20040409"))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/30 15:13

EAST Search History (Prior Art)

S47	222	phase\$1 AND authenticat\$3 AND link establish\$3 AND (establish\$4 initial\$5) AND connection AND ("713".clas. "726".clas. "380".clas. "719".clas. "709".clas.) AND (@pd<"20040409" @ad<"20040409" @prad<"20040409" @rlad<"20040409")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/30 15:14
S48	23	phase\$1 AND authenticat\$3 phase AND link establish\$3 AND (establish\$4 initial\$5) AND connection AND ("713".clas. "726".clas. "380".clas. "719".clas. "709".clas.) AND (@pd<"20040409" @ad<"20040409" @prad<"20040409" @rlad<"20040409")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/30 15:14
S49	0	phase\$1 AND authenticat\$3 phase AND link establish\$3 phase AND (establish\$4 initial\$5) AND connection AND ("713".clas. "726".clas. "380".clas. "719".clas. "709".clas.) AND (@pd<"20040409" @ad<"20040409" @prad<"20040409" @rlad<"20040409")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/30 15:15
S50	0	phase\$1 AND authenticat\$3 AND link establish\$3 phase AND (establish\$4 initial\$5) AND connection AND ("713".clas. "726".clas. "380".clas. "719".clas. "709".clas.) AND (@pd<"20040409" @ad<"20040409" @prad<"20040409" @rlad<"20040409")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/30 15:15
S51	43	phase\$1 AND authenticat\$3 phase AND (link NEAR (establish\$4 initial\$5)) AND connection AND ("713".clas. "726".clas. "380".clas. "719".clas. "709".clas.) AND (@pd<"20040409" @ad<"20040409" @prad<"20040409" @rlad<"20040409")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/30 15:16
S52	24	phase\$1 AND authenticat\$3 phase\$1 AND (link NEAR (establish\$4 initial\$5)) phase\$1 AND connection AND ("713".clas. "726".clas. "380".clas. "719".clas. "709".clas.) AND (@pd<"20040409" @ad<"20040409" @prad<"20040409" @rlad<"20040409")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/30 15:16
S53	2	"20020042820".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/01 14:45
S54	28	phase\$1 AND (authenticat\$3 NEAR phase\$1) AND (link NEAR (establish\$4 initial\$5)) phase\$1 AND connect\$3 AND ("713".clas. "726".clas. "380".clas. "719".clas. "709".clas.) AND (@pd<"20040409" @ad<"20040409" @prad<"20040409" @rlad<"20040409")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/22 16:32

EAST Search History (Prior Art)

S55	15	("EAP" extensible authentication protocol) AND phase\$1 AND (authenticat\$3 NEAR phase\$1) AND (link NEAR (establish\$4 initial\$5)) phase\$1 AND connect\$3 AND ("713".clas. "726".clas. "380".clas. "719".clas. "709".clas.) AND (@pd< "20040409" @ad< "20040409" @prad< "20040409" @rlad< "20040409")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/22 16:34
S56	11	(EAP "extensible authentication protocol") AND ("TCP" transmission control protocol) AND (establish\$4 NEAR phase\$1) AND authenticat\$3 AND (link\$3 NEAR establish\$4) AND connect\$3 AND ("713".clas. "726".clas. "380".clas. "719".clas. "709".clas.) AND (@pd< "20040409" @ad< "20040409" @prad< "20040409" @rlad< "20040409")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/22 16:43
S57	3	(EAP "extensible authentication protocol") AND ("TCP" transmission control protocol) AND (establish\$4 NEAR phase\$1) AND authenticat\$3 AND ((during while simultaneous\$2 "same" time) NEAR (link\$3 NEAR establish\$4)) AND connect\$3 AND ("713".clas. "726".clas. "380".clas. "719".clas. "709".clas.) AND (@pd< "20040409" @ad< "20040409" @prad< "20040409" @rlad< "20040409")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/22 16:45